

Maximal Independent Sets in Radio Networks

Thomas Moscibroda
Computer Engineering and
Networks Laboratory, ETH Zurich
8092 Zurich, Switzerland
moscitho@tik.ee.ethz.ch

Roger Wattenhofer
Computer Engineering and
Networks Laboratory, ETH Zurich
8092 Zurich, Switzerland
wattenhofer@tik.ee.ethz.ch

ABSTRACT

We study the distributed complexity of computing a maximal independent set (MIS) in radio networks with completely unknown topology, asynchronous wake-up, and no collision detection mechanism available. Specifically, we propose a novel randomized algorithm that computes a MIS in time $O(\log^2 n)$ with high probability, where n is the number of nodes in the network. This significantly improves on the best previously known solutions. A lower bound of $\Omega(\log^2 n / \log \log n)$ given in [11] implies that our algorithm's running time is close to optimal. Our result shows that the harsh radio network model imposes merely an additional $O(\log n)$ factor compared to Luby's MIS algorithm in the message passing model. This has important implications in the context of ad hoc and sensor networks whose characteristics are closely captured by the radio network model.

Categories and Subject Descriptors

F.2.2 [Analysis of Algorithms and Problem Complexity]: Nonnumerical Algorithms and Problems—*computations on discrete structures*;

G.2.2 [Discrete Mathematics]: Graph Theory—*graph algorithms*;

G.2.2 [Discrete Mathematics]: Graph Theory—*network problems*

General Terms

Algorithms, Theory

Keywords

maximal independent sets, radio network, initialization, clustering, asynchronous wake-up, ad hoc networks, sensor networks

1. INTRODUCTION

In many ways, familiar distributed computing communication models such as the *message passing model* do not capture all the harsh conditions faced in wireless ad hoc and

sensor networks. Ad hoc and sensor networks are multi-hop radio networks and hence, messages being transmitted may interfere with concurrent transmissions leading to collisions and packet losses. Furthermore, all nodes sharing the same wireless communication medium leads to an inherent broadcast nature of communication. A message sent by a node can be received by all nodes in its transmission range. These aspects of communication are modeled by the *radio network model* [3, 4].

Communication primitives such as broadcast, wake-up, or gossiping, have been extensively studied in the literature on radio networks in both randomized and deterministic versions (e.g., [3, 1, 6, 8]). On the other hand, much less is known about the computation of *local network coordination structures* such as clusterings or colorings in the radio network model (as opposed to, say, message passing models). This is surprising when considering the particular importance of such structures in ad hoc and sensor networks.

In this paper, we study the problem of computing a *maximal independent set* (MIS) in the radio network model. In a graph $G = (V, E)$, a MIS is a subset $S \subseteq V$ of the nodes such that no two nodes $v, u \in S$ are neighbors and every node $w \notin S$ has at least one neighbor in S . The distributed complexity of computing a MIS in different computation models is of interest *per se*. However, the particular relevance of the MIS in the context of the multi-hop radio network model stems from the fact that the clustering induced by the MIS can be used as an *initial structure*. Ad hoc or sensor networks lack any fixed or built-in structure; it is the nodes themselves that have to provide a communication infrastructure in order to enable any reasonable communication. When being deployed, the quintessential difficulty in obtaining such an infrastructure is that a protocol designed for this task cannot rely on any previously established structure. The idea is to set up an *initial structure* based on which more sophisticated network organization procedures can subsequently be employed. Initializing ad hoc or sensor networks efficiently is a well-known problem in practice. Even in small-scale systems such as Bluetooth, the initialization tends to be slow.

Previously, the efficiency of algorithms for computing structures that can serve as an initial structure (dominating sets, MIS, coloring, . . .) has often been studied in message passing models and under the assumptions that all nodes wake up at the same time or that every node knows its neighbors, e.g. [21, 9]. By abstracting away these technicalities, the obtained solutions have often not been directly applicable in practical settings.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

PODC'05, July 17–20, 2005, Las Vegas, Nevada, USA.
Copyright 2005 ACM 1-59593-994-2/05/0007 ...\$5.00.

In this paper, we consider a radio network model described in [13] that is harder than the standard radio network model. Specifically, it derives its motivation from the realm of *ad hoc and sensor networks* and makes the following assumptions.

- We consider *multi-hop* networks modeled as a unit disk graph $G = (V, E)$. Hence, it is possible that some neighbors of a sending node receive a message, whereas others experience a collision and do not receive the message.
- Nodes wake up *asynchronously* without access to a global clock. In a wireless, multi-hop environment, it is realistic to assume that some nodes wake up (become deployed, or switched on, ...) later than others. In contrast to work on the so-called *wake-up problem* [10, 11, 5], however, nodes are *not* woken up by incoming messages. Sleeping nodes do neither send nor receive any messages.
- We consider radio networks *without collision detection*. That is, nodes are unable to distinguish background noise from interference noise. A sender does not know how many neighbors have received its transmission correctly.
- When waking up, nodes have *no knowledge* about other nodes' distribution or wake-up pattern. Particularly, a node has no a-priori information about the number of its neighbors and when waking up, it does not know whether some neighbors are already executing the algorithm.

All these restrictions suggest that we deal with a particularly harsh model of computation; one that closely captures the reality of many real ad hoc and sensor systems (particularly during and immediately after their deployment). What makes this model appealing to the *theory of distributed computing*, is the fact that it is still concise enough to allow for stringent proofs, preventing simulations from being the last resort to evaluate an algorithm's performance.

In this paper, we show that even in this restricted model, a MIS can be computed efficiently. Specifically, we present a randomized algorithm that computes a MIS in time $O(\log^2 n)$ with high probability in unit disk graphs, n being the number of nodes in the network. This significantly improves the best previously known algorithm given in [18] that had a running time of $O(\log^9 n / \log \log n)$. Moreover, a lower bound of $\Omega(\log^2 n / \log \log n)$ established in [11] shows that our algorithm is asymptotically near optimal.

The paper is organized as follows. An overview of related work is given in Section 2. Section 3 formally introduces the model of computation. The algorithm is then presented and analyzed in Sections 4 and 5, respectively. Finally, Section 6 concludes the paper.

2. RELATED WORK

The distributed (randomized and deterministic) complexity of computing a MIS has been of fundamental interest to the distributed computing community for various reasons [17, 7, 2, 16]. A major breakthrough in the understanding of the distributed computational complexity of MIS was the elegant randomized algorithm by Luby [17] that has a running time of $O(\log n)$. On the other hand, [14] showed that every distributed (possibly randomized) algorithm requires at least time $\Omega(\sqrt{\log n / \log \log n})$ and $\Omega(\log \Delta / \log \log \Delta)$ in order to obtain a MIS, Δ being the largest degree in the network. Unfortunately, Luby's algorithm cannot be directly transformed to the radio network model since it assumes

synchronous wake-up, knowledge about the neighborhood, and collision-free communication.

Radio networks have been extensively studied for over two decades, resulting in a vast and rich literature. For a thorough survey of the single-hop case, we refer to [4]. In the multi-hop case, most work deals with the broadcast problem [3, 1, 15, 8], as well as related problems such as gossiping or the wake-up problem [10, 11, 5]. The harder version of the radio network used in this paper was introduced in [13] and subsequently refined in [12]. In [12], the authors give an algorithm that computes a constant approximation for the minimum dominating set problem and runs in time $O(\log^6 n)$. In unit disk graphs, a MIS is a constant approximation to the minimum dominating set problem and therefore our $O(\log^2 n)$ algorithm significantly outperforms the solution presented in [12]. Finally, an algorithm for *coloring* an unstructured radio network with $O(\Delta)$ colors in time $O(\Delta \log n)$ was recently proposed in [19].

The problem of computing a MIS in radio network models was first investigated in the context of backbone (connected dominating set) formation in wireless ad hoc and sensor networks, e.g. [21, 9]. However, these algorithms either have linear running time [21], or are based on strong assumptions, e.g. that nodes wake up at the same time, or that every node knows its one-hop or even two-hop neighborhood when waking up [9]. As for the harsh version of the radio network model, [18] proposes a randomized algorithm for computing a MIS in time $O(\log^9 n / \log \log n)$. The algorithm in [18] was presented using *three independent communication channels*. That is, messages sent on different channels do neither interfere nor cause any collisions. Having independent communication channels allows for simpler algorithmic solutions and particularly, facilitates the analysis because events on different channels can be analyzed independently. The actual single-channel algorithm was then derived by using a generic procedure for simulating a multi-channel system in a single-channel system. In contrast, we design and analyze our algorithm in a *single-channel setting* directly, which allows us to achieve drastic improvements.

One characteristic feature of our radio network model is that nodes can wake up asynchronously at any time. There is a body of work dealing with a different form of asynchronous wake-up in radio networks. In the *wake-up problem* the time when each node joins the protocol is controlled by an adversary, and the goal of the algorithm is to perform a broadcast as quickly as possible [10, 11, 6, 5]. However, in contrast to our model, sleeping nodes are *woken up* upon receiving a neighbors' message. In the context of this paper, the $\Omega(\log^2 n / \log \log n)$ time-lower bound in [11] for the time required until one node can send without collision in a single-hop radio network is of particular interest because it is a lower bound for our MIS problem. In general, however, we do not believe that ad hoc and sensor nodes are woken up by incoming messages. Instead, a node simply wakes up when being deployed or switched on.

3. MODEL AND NOTATION

We study the radio network model as described in [13]. The wireless nature of the network is modeled as a unit disk graph (UDG) $G = (V, E)$. In a UDG, nodes are considered to be located in the Euclidean plane and there is an edge (communication link) between two nodes u and v iff the Euclidean distance between u and v is at most 1. A node

receives a message only if *exactly one* of its neighbors sends. Moreover, having *no collision detection*, nodes are unable to distinguish between the situation in which two or more neighbors are sending and the situation in which no neighbor is sending. Every node $v \in V$ is assumed to have a unique identifier (not necessarily in the range $[1, \dots, n]$). The size of a message is restricted to $O(\log n)$ bits under the assumption that the nodes' ID space is polynomial in n .

Nodes wake up *asynchronously* at any time; formally, every node $v \in V$ has a wake-up time t_v . Before waking up, a node does neither send nor receive any messages. At time t_v , node v does not know a) how many neighbors it has and b) whether (and if yes, when) some of its neighbors have woken up and started executing the algorithm. We assume that both time and location of a node's wake-up is determined by an adversary, i.e., we consider worst case distributions in time and space.

As motivated in the introduction, asynchronous wake-up and lack of knowledge are two important features of the unstructured radio network model. The only a-priori knowledge given to the nodes is an upper bound for the total number of nodes $|V| = n$ in the network. It has been shown in [11] that without any such estimate of n , every algorithm requires at least time $\Omega(n/\log n)$ until one single message can be transmitted without collision. In practice, the number of nodes in a network may not be known exactly, but it can roughly be estimated in advance.

For the sake of the analysis, we assume time to be divided into time-slots that are synchronized among all nodes. However, our algorithm does not rely on synchronization in any way. By the standard argument introduced in [20] for slotted vs. unslotted ALOHA, the realistic unslotted case and the idealized slotted case differ only by a constant factor. A node v 's running time T_v is defined as the number of time-slots between its wake-up and its (irrevocable) decision of whether or not to become a MIS node. The algorithm's running time R is $R = \max_{v \in V} T_v$.

We denote by N_v the set of neighbors of node v and define $N_v^+ = N_v \cup \{v\}$. In each time-slot, a node can either send or not send. A node v receives a message in a time-slot t only if exactly one node in N_v has sent a message in t . We write $p_v(t)$ to denote node v 's sending probability in time-slot t . If it is clear from the context which time-slot is considered, we will also use the short form p_v . Finally, we say that node v sends *successfully* in time-slot t if all its neighbors receive v 's message. During the execution of the algorithm, we call node v *covered* if there is a node $w \in N_v^+$ that has decided to become a MIS node. Note that a covered node may not *know* of its being covered.

In this paper, we use the term "with high probability" for events that occur with probability $1 - n^{-c}$ for a constant c which can be made arbitrarily large by setting the corresponding parameters to large enough values. We conclude the section with two facts. The first was proven in [11] and the second can be found in mathematical textbooks.

FACT 1. Given a set of probabilities $p_1 \dots p_n$ with $\forall i : p_i \in [0, \frac{1}{2}]$, the following inequalities hold:

$$(1/4)^{\sum_{k=1}^n p_k} \leq \prod_{k=1}^n (1 - p_k) \leq (1/e)^{\sum_{k=1}^n p_k}.$$

FACT 2. For all n, t , with $n \geq 1$ and $|t| \leq n$, it holds that

$$e^t (1 - t^2/n) \leq (1 + t/n)^n \leq e^t.$$

4. ALGORITHM

In this section, we present Algorithm 1. Every time-slot corresponds to one iteration of the main loop. The *Receive Triggers* are executed immediately after the receipt of a message, regardless of the current state of the algorithm. In accordance to the model given in the previous section, however, a node receives a message only if it does not send a message itself in the same time-slot. Throughout the paper, Greek letters represent constants.

At any time during the execution of Algorithm 1, a node can be in one of five states. Upon waking up, a node is in the *waiting state* \mathcal{W} in which it only listens. If a node does not become covered by a MIS node in this state already, it will become *active*. Active nodes are in state \mathcal{A} . An active node v tries to join the MIS by increasing its probability p_v of becoming a *candidate*. Eventually, some active nodes will become candidates by entering state \mathcal{C} , whereas others will restart the algorithm, returning to the initial waiting state \mathcal{W} . Finally, MIS nodes are elected from among neighboring candidates. Nodes that have decided to be a MIS node end up in state \mathcal{M} , nodes that are covered become *slaves* and enter state \mathcal{S} . Throughout the paper, we will use the expression \mathcal{W} to denote both the *state* in which the algorithm is currently in, as well as the subset of nodes $v \in V$ that are currently in the state \mathcal{W} . The same holds for all other states/sets. Next, we describe each of the five states in more detail. In the waiting state \mathcal{W} , a node listens for messages and increases the counter *step* in each time-slot. The purpose of state \mathcal{W} is that newly awakening or restarting nodes should not interfere with nodes that are actively competing for becoming a MIS node.

Once the *step* counter of a node $v \in \mathcal{W}$ reaches the threshold $4\mu\delta \log^2 n$ (Line 3), it proceeds to the *active state* \mathcal{A} . Every active node has a sending probability p_v which is the probability that it sends a message m_A and becomes a candidate in a given time-slot (Lines 9-11). Starting from a small initial probability p_v , a node $v \in \mathcal{A}$ doubles p_v every $\lambda \log n$ time-slots, thereby exponentially increasing its chance to become a candidate (Lines 6 and 7). If however, an active node $v \in \mathcal{A}$ receives a message m_A from another active node, it returns to the start of the algorithm, i.e., it sets its state to \mathcal{W} and resets *step* to 0 (Receive Trigger 1). Such nodes may again try to become a candidate subsequently. State \mathcal{A} is designed to bound the number of candidates simultaneously being in state \mathcal{C} in a certain area of the graph. This enables a quick election of MIS nodes among the limited number of candidates. In other words, state \mathcal{A} allows for a first rough selection on the way towards picking MIS nodes.

Having bounded the number of *candidates*, it remains to select MIS nodes from among the candidates. The idea is that neighboring candidates compete with each other such that no two neighboring nodes join state \mathcal{M} . They do so by means of a *count* variable. Intuitively, the current value of the *count* describes a node's progress towards joining the MIS. In each time-slot, a candidate sends a message $m_C(\text{count})$ containing its current *count* value with probability q . Candidates increase their *count* value in every time-slot. When receiving a message $m_C(\text{count}')$ from another candidate, the receiver compares the sender's *count'* to its own. If the two values are within $\delta \log n$ of each other, the receiver resets its own *count* (Receive Trigger 2). The idea is that a candidate v resets its *count* if the progress of v and w are too close to one another. As we will show in Section

Algorithm 1 MIS-Algorithm (Code of node v)

```
step := count := 0; state :=  $\mathcal{W}$ ;  $p_v := \frac{2^{-\alpha-1}}{n}$ ;  
upon wake-up do  
1: loop  
2:   case state do  
3:      $\mathcal{W}$ : if  $step \geq 4\mu\delta \log^2 n$  then  
4:       state :=  $\mathcal{A}$ ; step := 0;  
5:     end if  
6:      $\mathcal{A}$ : if  $step \geq \lambda \log n$  then  
7:        $p_v := 2p_v$ ; step := 0;  
8:     else  
9:        $s := \begin{cases} 1 & \text{with probability } p_v \\ 0 & \text{with probability } 1 - p_v \end{cases}$   
10:      if  $s = 1$  then  
11:        send( $m_A$ ); state :=  $\mathcal{C}$ ;  
12:      end if  
13:    end if  
14:     $\mathcal{C}$  : count := count + 1;  
15:     $s := \begin{cases} 1 & \text{with prob. } q_C = \frac{\tau}{2^\alpha \log n} \\ 0 & \text{with prob. } 1 - q_C \end{cases}$   
16:    if count  $\geq \delta \log^2 n$  then  
17:      state :=  $\mathcal{M}$    { $* v$  joins MIS  $*$ }  
18:    else if  $s = 1$  then  
19:      count := max {count,  $\delta \log n + 1$ };  
20:      send  $m_C$ (count);  
21:    end if  
22:     $\mathcal{M}$  : send  $m_M$  with probability  $q_M = 2^{-\alpha}$   
23:  end case  
24:  step := step + 1;  
25: end loop
```

Receive Triggers (only when not sending):

```
1: upon receiving  $m_A$  do  
   if state =  $\mathcal{W}$  or state =  $\mathcal{A}$  then  
     state :=  $\mathcal{W}$ ; step := 0  
   end if  
2: upon receiving  $m_C$ (count') do  
    $\Delta c := |count' - count|$ ;  
   if state =  $\mathcal{C}$  and  $\Delta c \leq \delta \log n$  then  
     count := 0;  
   end if  
3: upon receiving  $m_M$  do  
   state :=  $\mathcal{S}$ ; stop();   { $* v$  becomes slave  $*$ }  


---


```

5, this method of comparing counters prevents two neighboring nodes from joining the MIS shortly in succession and consequently ensures the correctness of the resulting MIS. On the other hand, it also allows the nodes to make fast progress in all parts of the network graph. Specifically, it avoids long cascading chains of resets that slow down the algorithm's running time. Once a candidate's *count* reaches the threshold $\delta \log^2 n$, it becomes a MIS node and enters its final state \mathcal{M} (Line 17). MIS nodes continue to send messages m_M with a probability q_M in order to inform their neighbors that they are covered. Regardless of its current state, if a node receives a messages m_M during the algorithm (Receive Trigger 3), it decides to become a slave.

The constants μ and α are defined as $\mu = 19$ and $\alpha = 6.4$, respectively. The other constant parameters can be chosen to fine-tune the trade-off between running time and the probability of a correct execution. In particular, the

larger λ and δ , the more probable it becomes that Algorithm 1 performs correctly. In order to obtain the high probability results in Section 5, we set $\lambda = 3 \cdot 2^{\alpha+2} 4^{\frac{9/4+3\mu}{2\alpha}}$, $\delta = \frac{8 \cdot 2^\alpha}{\tau} \cdot 4^{\frac{6\mu}{2\alpha}}$, and $\tau = 9000^{-1}$. Finally, note that due to asynchronous wake-up, different nodes may be in completely different states at the same time. To make things worse, a node has no a-priori knowledge in which states its (potential) neighbors are. Overcoming the absence of any such knowledge is one of the key challenges of this paper.

5. ANALYSIS

In this section, we prove that Algorithm 1 computes a correct MIS in time $O(\log^2 n)$ with high probability. Following the approach in [18], we make use of an imaginary covering of the plane by disks D_i of radius $1/2$ as shown in Figure 1. By placing these disks on a hexagonal lattice, the entire Euclidean plane is covered. By E_i^r , we denote the disk with radius r centered at the center of D_i . Observe that all nodes within a disk D_i can hear each other. On the other hand, a node outside $E_i^{1.5}$ cannot cause a collision at a node $v \in D_i$. We will use the following simple geometric facts which can be proven by standard area arguments.




Figure 1: Circles D_i , $E_i^{1.5}$, and $E_i^{2.5}$

FACT 3. Disks $E_i^{1.5}$ and $E_i^{2.5}$ can be fully covered by μ and 2μ smaller disks D_i , respectively, where $\mu = 19$. Also, the number of independent nodes in $E_i^{1.5}$, and $E_i^{2.5}$ is at most μ and 2μ , respectively.

A main difficulty of the analysis is that nodes can unintentionally interfere with neighbors in different states. For instance, an active node v may cause a collision at a candidate node w in \mathcal{C} . This results in w not receiving a message m_C or m_M from a neighboring node, potentially causing a violation of the MIS condition. Or, a collision caused by a MIS message m_M may cause that a node in \mathcal{A} does not receive a message m_A , which could lead to too many candidates. In view of the dependencies between all states, proving the impossibility (or the low probability) of the above examples is not trivial.

Throughout the proof, we denote by \mathcal{A}_i and \mathcal{A}_i^r the set of active nodes in D_i and E_i^r , respectively. \mathcal{W}_i , \mathcal{C}_i , and the other sets are defined analogously. We begin with a definition and a simple observation that follows directly from the definition of Algorithm 1.

DEFINITION 5.1. *Let t be a time-slot in which a message m_A is sent by a node $v \in \mathcal{A}_i$ and received without collision by all nodes $w \in D_i \setminus \{v\}$. We call t a clearance of D_i . Two subsequent clearances are independent if they are not caused by the same node.*

LEMMA 5.2. *Consider a disk D_i . After a clearance, no node $v \in D_i$ is in state \mathcal{A} for the next $4\mu\delta \log^2 n$ time-slots. Consequently, two independent clearances in the same disk D_i must be at least $4\mu\delta \log^2 n$ time-slots apart.*

A critical ingredient of the analysis is to bootstrap the argument. In this section, we will show that with high probability the algorithm maintains three properties (probabilistic invariants) throughout its execution. The first property states that the sum of sending probabilities by active nodes does not exceed a certain constant. This helps to bound the “noise” caused by such nodes when analyzing other aspects of the algorithm.

PROPERTY 1 (P1). *For all disks D_i and at any time-slot t throughout the execution of the algorithm, it holds that $\sum_{v \in \mathcal{A}_i} p_v(t) \leq 2^{-\alpha}$.*

The second and third properties state that the number of simultaneous candidates is bounded and that \mathcal{M} forms a correct independent set, respectively

PROPERTY 2 (P2). *For all disks D_i and at any time-slot t throughout the execution of Algorithm 1, it holds that $|\mathcal{C}_i| \leq \kappa \log n$, for a constant $\kappa = \tau^{-1}$.*

PROPERTY 3 (P3). *Throughout the execution of the algorithm, the set \mathcal{M} forms a correct independent set.*

The first technical lemma shows that MIS nodes are capable of quickly informing their neighbors that they are covered. This is necessary to ensure the independence of the resulting set \mathcal{M} . For now, we can formalize this intuition only under the assumption that all three Properties hold.

LEMMA 5.3. *Assume Properties 1, 2, and 3 hold. With probability $1 - n^{-3}$, every node $v \in V$ joins \mathcal{S} and terminates the algorithm by the time $t_v + \delta \log n$, where t_v is the first time-slot in which v becomes covered by a MIS node $w \in \mathcal{M} \cap N_v^+$.*

PROOF. Consider a node $v \in D_i$ and let t_v be the time-slot defined in the lemma. The probability P_1 that in an arbitrary time-slot $t \in [t_v + 1, \dots, t_v + \delta \log n]$ MIS node $w \in N_v^+ \cap \mathcal{M}$ sends and no other node in N_v^+ sends (i.e., that v receives w 's message m_M) is at least

$$P_1 \geq q_M \prod_{u \in N_v^+} (1 - p_u) \stackrel{\text{Fact 1}}{\geq} \frac{1}{2^\alpha} \left(\frac{1}{4}\right)^{\sum_{u \in N_v^+} p_u}.$$

To bound $\sum_{u \in N_v^+} p_u$, we make use of the assumption that the three Properties hold and that nodes in $\mathcal{W} \cup \mathcal{S}$ do not

send. It follows that the sum of sending probabilities in N_v^+ is lower bounded by

$$\begin{aligned} \sum_{u \in N_v^+} p_u &= \sum_{u \in \mathcal{A} \cap N_v^+} p_u + \sum_{u \in \mathcal{C} \cap N_v^+} p_u + \sum_{u \in \mathcal{M} \cap N_v^+} p_u \\ &\leq \sum_{D_j \in E_i^{1.5}} \left(\sum_{u \in \mathcal{A}_j} p_u + \sum_{u \in \mathcal{C}_j} q_C + \sum_{u \in \mathcal{M}_j} q_M \right) \\ &\leq \sum_{D_j \in E_i^{1.5}} \left(\frac{1}{2^\alpha} + \kappa \log n \cdot \frac{\tau}{2^\alpha \log n} + \frac{1}{2^\alpha} \right) \\ &\leq \mu \left(\frac{1}{2^\alpha} + \frac{\tau \kappa \log n}{2^\alpha \log n} + \frac{1}{2^\alpha} \right) = \frac{3\mu}{2^\alpha}, \end{aligned}$$

where we derive the second inequality by replacing $q_C = \frac{\tau}{2^\alpha \log n}$ and $q_M = 2^{-\alpha}$ as defined in Algorithm 1. The second inequality follows from Fact 3. Plugging this in the expression for P_1 yields $P_1 \geq 2^{-\alpha} (1/4)^{\frac{3\mu}{2^\alpha}}$. The probability P_{no} that none of the $\delta \log n$ time-slots in the interval $[t_v + 1, \dots, t_v + \delta \log n]$ is successful is at most

$$P_{no} \leq \left(1 - \frac{1}{2^\alpha} \left(\frac{1}{4}\right)^{\frac{3\mu}{2^\alpha}} \right)^{\delta \log n} \leq e^{-\delta \log n \cdot \frac{1}{2^\alpha} (1/4)^{\frac{3\mu}{2^\alpha}}}$$

which is, by the definitions of α , μ , and δ , $P_{no} \in O(n^{-4})$. Finally, the argument is concluded by the observation that every node needs to be informed about its being covered at most once. That is, the claim holds for all nodes $v \in V$ with probability $1 - O(n^{-3})$. \square

One difficulty when proving that the three Properties hold will be that our results depend on arguments of the following kind: *Before* a particular Property can be violated, there must exist some time-interval in which certain critical conditions hold. We can prove that in any interval exhibiting these conditions, the Property will *not* be violated with high probability. However, such an argument is useless if there can be infinitely many time-intervals having these critical conditions. To bound the number of critical time-intervals, the next lemma lower bounds the *progress* made by the algorithm in case all three properties hold.

LEMMA 5.4. *Assume Properties 1, 2, and 3 hold. Let t_c be a time-slot in which an uncovered node $v \in D_i$ is a candidate, i.e., $v \in \mathcal{C}$. In the interval $[t_c - \delta \log n, \dots, t_c + 2\delta \log^2 n]$, a new MIS node emerges in $E_i^{2.5}$ with probability $1 - O(n^{-3})$.*

PROOF. We first show that unless all candidates in D_i become covered by a MIS node (in which case the lemma clearly holds), there is at least one candidate that can send successfully in the interval $\mathcal{I}_1 = [t_c + 1, \dots, t_c + \delta \log^2 n]$. Clearly, if a node $w \in N_v^+ \cap \mathcal{C}$ sends and no other node in $E_i^{2.5}$ sends, then w sends successfully. Hence, the probability P_1 that there is a candidate $w \in N_v^+ \cap \mathcal{C}$ sending successfully in a time-slot $t \in \mathcal{I}_1$ is at least

$$\begin{aligned} P_1 &\geq \sum_{w \in N_v^+ \cap \mathcal{C}} \left(p_w \cdot \prod_{u \in E_i^{2.5} \setminus \{w\}} (1 - p_u) \right) \\ &\geq \sum_{w \in N_v^+ \cap \mathcal{C}} p_w \cdot \prod_{u \in E_i^{2.5}} (1 - p_u) \\ &\stackrel{\text{Fact 1}}{\geq} \sum_{w \in N_v^+ \cap \mathcal{C}} p_w \cdot (1/4)^{\sum_{u \in E_i^{2.5}} p_u}. \end{aligned}$$

Similar to the proof of Lemma 5.3, we can bound the sum in the exponent as

$$\begin{aligned} \sum_{u \in E_i^{2.5}} p_u &= \sum_{u \in \mathcal{A}_i^{2.5}} p_u + \sum_{u \in \mathcal{C}_i^{2.5}} p_u + \sum_{u \in \mathcal{M}_i^{2.5}} p_u \\ &\leq \sum_{D_j \in E_i^{2.5}} \left(\frac{1}{2^\alpha} + \frac{\kappa\tau \log n}{2^\alpha \log n} + \frac{1}{2^\alpha} \right) \leq \frac{6\mu}{2^\alpha}. \end{aligned}$$

Unless all candidates receive a message m_M and join the set \mathcal{S} in \mathcal{I}_1 , there is at least one candidate node in $N_v^+ \cap \mathcal{C}$ and therefore $\sum_{w \in N_v^+ \cap \mathcal{C}} p_w \geq q_C$. Plugging these results into the above expression for P_1 gives $P_1 \geq \frac{\tau}{(2^\alpha \log n)} (1/4)^{\frac{6\mu}{2^\alpha}}$ and the probability P_{no} that none of the $\delta \log^2 n$ time-slots in \mathcal{I}_1 is successful is at most

$$\begin{aligned} P_{no} &\leq \left(1 - \frac{\tau}{(2^\alpha \log n)} \cdot \left(\frac{1}{4} \right)^{\frac{6\mu}{2^\alpha}} \right)^{\delta \log^2 n} \\ &\stackrel{\text{Fact 2}}{\leq} e^{-\delta \log n \cdot \frac{\tau}{2^\alpha} (1/4)^{\frac{6\mu}{2^\alpha}}} \in O(n^{-3}). \end{aligned}$$

Therefore, with probability $1 - O(n^{-3})$, there exists a candidate w which manages to send successfully at a time-slot $t_w^* \in \mathcal{I}_1$. Since time-slot t_w^* was successful, all neighboring candidates of w received w 's message $m_C(\text{count}_w)$. According to Receive Trigger 2, all nodes u in w 's neighborhood that are candidates at time t_w^* and whose count_u at time t_w^* (abbreviated by $c_u(t_w^*)$) is in the range $c_u(t_w^*) \in |c_w(t_w^*) - \delta \log n, \dots, c_w(t_w^*) + \delta \log n|$ will reset their count to 0. Moreover, by Line 19 of Algorithm 1, w has a count value of at least $\delta \log n + 1$. Therefore, for all existing candidates $u \in \mathcal{C} \cap N_w$ as well as for all potential new candidates (which set $\text{count} = 0$ when becoming candidate), it holds that after t_w^* ,

$$|c_u(t_w^* + 1) - c_w(t_w^* + 1)| > \delta \log n.$$

By the definition of Algorithm 1 (Receive Trigger 2), this means that no node $u \in \mathcal{C}$ adjacent to w is able to prevent w from incessantly increasing its count until it eventually reaches the threshold $\delta \log^2 n$, which enables to join the MIS. The only possible way for w to be stopped from joining \mathcal{M} is if it receives a message m_M from a node $x \in N_w$ that has joined \mathcal{M} before w . If x had already been a MIS node before time $t_c - \delta \log n$, it could have informed w in the interval $\mathcal{I}_2 = [t_c - \delta \log n, \dots, t_c - 1]$ with probability $1 - O(n^{-3})$ by Lemma 5.3.

In other words, either w sends successfully before $t_c + \delta \log^2 n$, increases its count to $\delta \log^2 n$, and therefore joins the MIS before time $t_c + 2\delta \log^2 n$; or there is a node x that joined \mathcal{M} after $t_c - \delta \log n$. This claim holds with probability $(1 - O(n^{-3}))^2 \in 1 - O(n^{-3})$. Finally, the proof is concluded using the fact that $w \in N_v^+$ and $x \in N_v^2$, thus $w, x \in E_i^{2.5}$. \square

Having proven Lemma 5.4 allows us derive that once a node becomes a candidate, it either joins the MIS or becomes covered shortly thereafter, if all three Properties hold.

LEMMA 5.5. *Assume Properties 1, 2, and 3 hold. Let t be an arbitrary time-slot. Every node v that is a candidate at time t , i.e., $v \in \mathcal{C}$, will either have joined \mathcal{M} or be covered by time $t + 4\mu\delta \log^2 n$ with probability $1 - O(n^{-2})$.*

PROOF. Because all three Properties are assumed to be true, we can prove the claim by repeatedly applying Lemma

5.4. Consider a node $v \in D_i$ that is a candidate at time t . We know by Lemma 5.4 that there is at least one MIS node in $E_i^{2.5}$ by $t + 2\delta \log^2 n$ with probability $1 - O(n^{-3})$. If v is covered by this new MIS node, the lemma holds. If not, v is still a candidate and hence, again by Lemma 5.4, there is a MIS node emerging in the interval $[t + 2\delta \log^2 n - \delta \log n, \dots, t + 4\delta \log^2 n]$ with high probability. Thus applying Lemma 5.4 repeatedly yields that a MIS node emerges in the interval $[t + 2i\delta \log^2 n - \delta \log n, \dots, t + 2(i+1)\delta \log^2 n]$ with probability $1 - O(n^{-3})$ for every $i \geq 0$, as long as v is uncovered. Since every emerging MIS node can cover only two ‘‘adjacent’’ intervals, it holds with probability $(1 - O(n^{-3}))^i$ that there are at least $\lceil i/2 \rceil$ new MIS nodes emerging in $E_i^{2.5}$ if v is still uncovered by time $t + 2i\delta \log^2 n$. Due to Property 3, we assume the set \mathcal{M} to be a correct independent set which means that there can be at most 2μ MIS nodes in $E_i^{2.5}$. Hence, it follows that with probability $(1 - O(n^{-3}))^{2\mu} \in 1 - O(n^{-3})$, v is covered by the time $t + 4\mu\delta \log^2 n$. Since there are at most n candidates, the Lemma holds for all nodes with probability $(1 - O(n^{-3}))^n \in 1 - O(n^{-2})$. \square

We now return to the notion of a *clearance* which will be crucial in proving the validity of Properties 1 and 2. In particular, we use the two previous Lemmas to bound the number of clearances that can occur in a disk D_i during the execution of the algorithm.

LEMMA 5.6. *Assume Properties 1, 2, and 3 hold. For all disks D_i , there are no more than μ independent clearances in D_i with probability $1 - O(n^{-2})$.*

PROOF. By Lemma 5.2, there can be at most one independent clearance every $4\mu\delta \log^2 n$ time-slots in a disk D_i . Let t_c be a clearance of D_i . By definition, exactly one active node $v \in \mathcal{A}_i$ sends successfully in time-slot t_c . By definition of Algorithm 1, this node becomes a candidate and by Lemma 5.4, there is a node $w \in E_i^{2.5}$ that joins the MIS in the interval $[t_c - \delta \log n, \dots, t_c + 2\delta \log^2 n]$ with probability $1 - O(n^{-3})$. Hence, after μ independent clearances, at least μ MIS nodes have emerged in $E_i^{2.5}$ with probability $(1 - O(n^{-3}))^\mu \in 1 - O(n^{-3})$. By Fact 3 and under the assumption of Property 3, these μ MIS nodes entirely cover $E_i^{2.5}$ and all nodes located therein. Moreover, it follows from Lemma 5.3 that every such node receives a message m_M $\delta \log n$ time-slots after its becoming covered with probability $1 - n^{-3}$. That is, no node will be in the active state \mathcal{A} once all of $E_i^{2.5}$ is covered. With probability $1 - O(n^{-3})$, this is the case after μ clearance. \square

All previous lemmas were derived under the condition that Properties 1, 2, and 3 hold. In the following sequence of Theorems 5.7, 5.8, and 5.10, we will show that with high probability none of them is the *first* to be violated.

THEOREM 5.7. *Assume Property 1 is the first property to be violated and let t_1 be the first time-slot in which the violation occurs. The probability that there exists such a time-slot t_1 during the execution of Algorithm 1 is at most $P_{fail} \in O(n^{-1})$.*

PROOF. If t_1 is the first time-slot in which the violation occurs in a disk D_i , it holds $\sum_{v \in \mathcal{A}_i} p_v(t_1 - 1) \leq 2^{-\alpha}$ and $\sum_{v \in \mathcal{A}_i} p_v(t_1) > 2^{-\alpha}$. Consider the interval $\mathcal{I} = [t_1 - \lambda \log n, \dots, t_1 - 1]$. By the definition of Algorithm 1 (Lines 6 and 7), every active node $v \in \mathcal{A}_i$ doubles its sending probability p_v exactly once during this interval \mathcal{I} . Additionally,

new nodes that were previously in state \mathcal{W}_i may join the set \mathcal{A}_i during \mathcal{I} , but these nodes' combined sending probability is at most $n \cdot \frac{2^{-\alpha-1}}{n} = 2^{-\alpha-1}$, according to the definition of a node's initial sending probability. That is, the sum of sending probabilities at time $t_1 - \lambda \log n$ is at least

$$\sum_{v \in \mathcal{A}_i} p_v(t_1 - \lambda \log n) \geq \frac{1}{2}(2^{-\alpha} - 2^{-\alpha-1}) = 2^{-\alpha-2}.$$

Consequently if Property 1 is violated, there must be an interval \mathcal{I} preceding the violation during which the sum of the sending probabilities is in the range

$$2^{-\alpha-2} \leq \sum_{v \in \mathcal{A}_i} p_v(t) \leq 2^{-\alpha} \quad \forall t \in \mathcal{I}. \quad (1)$$

In all neighboring disks $D_j \in E_i^{1.5}$, the sum of sending probabilities is

$$0 \leq \sum_{v \in \mathcal{A}_j} p_v(t) \leq 2^{-\alpha} \quad \forall t \in \mathcal{I} \quad (2)$$

because t_1 is the first time-slot violating Property 1.

We continue the proof by showing that with high probability, a clearance occurs in the interval \mathcal{I} . For that purpose, let P_{no} be the probability that in a given time-slot $t \in \mathcal{I}$ no node in $E_i^{1.5} \setminus D_i$ sends. By P_{one} we denote the probability that exactly one node in D_i sends in t . The probability P_{clear} of a clearance at time t is $P_{clear} = P_{one} \cdot P_{no}$. Using Fact 1, the probabilities P_{one} and P_{no} can be bounded as follows:

$$\begin{aligned} P_{one} &= \sum_{v \in \mathcal{A}_i} \left(p_v \prod_{w \in D_i \setminus \{v\}} (1 - p_w) \right) \\ &\geq \sum_{v \in \mathcal{A}_i} p_v \prod_{w \in D_i} (1 - p_w) \\ &\stackrel{\text{Fact 1}}{\geq} \sum_{v \in \mathcal{A}_i} p_v (1/4)^{\sum_{w \in D_i} p_w} \\ &\geq \sum_{v \in \mathcal{A}_i} p_v (1/4)^{\sum_{w \in \mathcal{A}_i} p_w + \frac{1}{2^{\alpha-1}}}, \end{aligned}$$

where the last inequality is valid because of $\sum_{w \in \mathcal{C}_i} p_w \leq 1/2^\alpha$ and $\sum_{w \in \mathcal{M}_i} p_w \leq 1/2^\alpha$ under the assumption that Properties 2 and 3 hold.

$$\begin{aligned} P_{no} &\geq \prod_{v \in E_i^{1.5}} (1 - p_v) \geq \prod_{D_j \in E_i^{1.5}} \prod_{v \in D_j} (1 - p_v) \\ &\geq \prod_{D_j \in E_i^{1.5}} (1/4)^{\sum_{v \in D_j} p_v} \\ &\geq \left[(1/4)^{\sum_{v \in \mathcal{A}_j} p_v + \frac{1}{2^{\alpha-1}}} \right]^\mu \geq (1/4)^{\frac{3\mu}{2^\alpha}} \end{aligned}$$

where the last step follows from (2). The probability of $t \in \mathcal{I}$ being a clearance is therefore at least

$$P_{clear} \geq \sum_{v \in \mathcal{A}_i} p_v (1/4)^{\sum_{w \in \mathcal{A}_i} p_w + \frac{1}{2^{\alpha-1}}} \cdot (1/4)^{\frac{3\mu}{2^\alpha}}.$$

For $x \in [2^{-\alpha-2}, \dots, 2^{-\alpha}]$, the function $x(1/4)^{x + \frac{1}{2^{\alpha-1}}}$ is minimized for $x = 2^{-\alpha-2}$ and hence, when applying (1), we get

$$\begin{aligned} P_{clear} &\geq 2^{-\alpha-2} (1/4)^{2^{-\alpha-2} + \frac{1}{2^{\alpha-1}}} \cdot (1/4)^{\frac{3\mu}{2^\alpha}} \\ &= 2^{-\alpha-2} (1/4)^{\frac{9+3\mu}{2^\alpha}}. \end{aligned}$$

The probability P_x that *none* of the $\lambda \log n$ time-slots $t \in \mathcal{I}$ is a clearance is therefore at most $P_x \geq (1 - P_{clear})^{\lambda \log n} \in O(n^{-3})$ by the definitions of λ and τ . Notice that the reason for defining $\alpha = 6.4$ is that this value maximizes P_{clear} .

Unfortunately, the argument that in every critical interval \mathcal{I} a clearance occurs with probability $1 - O(n^{-3})$ is not sufficient. Potentially, the number of intervals \mathcal{I} could be infinitely large, rendering the high probability result useless. However, the probability that in the first μ intervals \mathcal{I} in D_i , there is at least one *without a clearance* is at most $O(n^{-3})$. By Lemma 5.6, there are no more than μ clearances in D_i with probability $1 - O(n^{-2})$. Thus, there is no time-slot t_1 in D_i during the execution of Algorithm 1 with probability at least $1 - O(n^{-2})$. Because the same argument can be applied for all D_i and because all $v \in V$ are covered by at most n disks, the claim holds for all disks with probability $1 - O(n^{-1})$. \square

We continue by showing that Property 2 holds under the assumption that the two other Properties hold.

THEOREM 5.8. *Assume Property 2 is the first property to be violated and let t_2 be the first time-slot in which the violation occurs. The probability that there exists such a time-slot t_2 during the execution of Algorithm 1 is at most $P_{fail} \in O(n^{-1})$.*

Before proving Theorem 5.8, we introduce some notation and establish a key lemma. Assume that T_c is an interval either between a) two subsequent independent clearances in a disk D_i , or b) between a clearance and the end of the algorithm, or c) between a clearance and time-slot t_2 (i.e., the first violation of Property 2), depending on which comes first. Further, let t_c be the clearance that has initiated T_c . We show that the probability of Property 2 being violated in this interval (i.e., $t_2 \in T_c$) is $1 - O(n^{-3})$. By Lemma 5.2, there is no new candidate emerging in D_i in the interval $[t_c, \dots, t_c + 4\mu\delta \log^2 n]$. We therefore need to analyze only the interval $[t_c + 4\mu\delta \log^2 n, \dots, t_q]$, where t_q is the time-slot of a) the subsequent clearance, b) the end of the algorithm, or c) time-slot t_2 .

Let a *failure* be a time-slot in which at least one new candidate in D_i emerges, but no clearance occurs. The next lemma bounds the number of failures.

LEMMA 5.9. *There are no more than $\frac{1}{6e}\kappa \log n$ failures in D_i in the interval $[t_c + 4\mu\delta \log^2 n, \dots, t_q]$ with probability $1 - n^{-3}$.*

PROOF. We prove that before $\frac{1}{6e}\kappa \log n$ failures can occur, there is with high probability at least one clearance. The argument is completed by the fact that, by definition, t_q must take place before or at the time of such a clearance.

We define the following events. $\mathcal{E}_c(t)$ denotes the event of a clearance in D_i at time-slot t and $\mathcal{E}_0(t)$ is the event of no node in \mathcal{A}_i sending in time-slot t . Observe that $\mathcal{E}_c(t)$ can only be true if $\mathcal{E}_0(t)$ is false. In the sequel, we want to find a bound on the probability $P[\mathcal{E}_c(t) | \overline{\mathcal{E}_0}(t)]$. Clearly, if in a time-slot exactly one node in D_i sends and no other node in $E_i^{1.5}$ sends, then a clearance occurs. Hence, $P[\mathcal{E}_c(t) | \overline{\mathcal{E}_0}(t)] \geq P[\mathcal{E}_1(t) | \overline{\mathcal{E}_0}(t)] \cdot P[\mathcal{E}_e(t)]$ where $\mathcal{E}_1(t)$ is the event of *at most one* node sending in \mathcal{A}_i , and $\mathcal{E}_e(t)$ is the event of no node sending in $E_i^{1.5} \setminus \mathcal{A}_i$. It will be convenient to state the above

expression in terms of $\mathcal{E}_+(t)$ which is the event that 2 or more nodes in \mathcal{A}_i send. Thus,

$$\begin{aligned} P[\mathcal{E}_c(t)|\overline{\mathcal{E}}_0(t)] &\geq P[\mathcal{E}_e(t)] \cdot (1 - P[\overline{\mathcal{E}}_1(t)|\overline{\mathcal{E}}_0(t)]) \\ &= P[\mathcal{E}_e(t)] \cdot (1 - P[\mathcal{E}_+(t)|\overline{\mathcal{E}}_0(t)]) \\ &= P[\mathcal{E}_e(t)] \cdot \left(1 - \frac{P[\mathcal{E}_+(t)]}{P[\overline{\mathcal{E}}_0(t)]}\right), \end{aligned}$$

because of $P[\overline{\mathcal{E}}_0(t)|\mathcal{E}_+(t)] = 1$. By the definition of t_q (which is t_2 or earlier), we can assume that in the interval $[t_c + 4\mu\delta \log^2 n, \dots, t_q]$, all three properties hold. Thus, we are allowed to reuse some results that we have established based on the assumption that all three properties hold. First, we need a bound on $P[\mathcal{E}_e(t)]$ from the proof of Theorem 5.7:

$$P[\mathcal{E}_e(t)] \geq \prod_{v \in E_i^{1..5}} (1 - p_v) \geq (1/4)^{\frac{3\mu}{2^\alpha}}.$$

For succinctness, let $\mathcal{X}_A = \sum_{v \in \mathcal{A}_i} p_v$. We obtain the following lower bound for $P[\overline{\mathcal{E}}_0(t)]$,

$$\begin{aligned} P[\overline{\mathcal{E}}_0(t)] &= 1 - \prod_{v \in \mathcal{A}_i} (1 - p_v(t)) \\ &\geq 1 - (1/e)^{\sum_{v \in \mathcal{A}_i} p_v} \geq 1 - (1/e)^{\mathcal{X}_A}. \end{aligned}$$

Finally, we consider $P[\mathcal{E}_+(t)]$,

$$\begin{aligned} P[\mathcal{E}_+(t)] &\leq P[\overline{\mathcal{E}}_0(t)] - \sum_{v \in \mathcal{A}_i} \left(p_v \prod_{w \in \mathcal{A}_i \setminus \{v\}} (1 - p_w) \right) \\ &\leq 1 - \prod_{v \in \mathcal{A}_i} (1 - p_v) - \sum_{v \in \mathcal{A}_i} p_v \cdot (1/4)^{\sum_{v \in \mathcal{A}_i} p_v} \\ &\leq 1 - (1/4)^{\sum_{v \in \mathcal{A}_i} p_v} - \sum_{v \in \mathcal{A}_i} p_v \cdot (1/4)^{\sum_{v \in \mathcal{A}_i} p_v} \\ &\leq 1 - (1 + \mathcal{X}_A) (1/4)^{\mathcal{X}_A}. \end{aligned}$$

Plugging everything together, the probability $P[\mathcal{E}_c(t)|\overline{\mathcal{E}}_0(t)]$ that there is a clearance if a new candidate emerges in D_i is at least $P[\mathcal{E}_c(t)|\overline{\mathcal{E}}_0(t)] \geq \mathcal{Q}$ where \mathcal{Q} is

$$\mathcal{Q} = (1/4)^{\frac{3\mu}{2^\alpha}} \cdot \left(1 - \frac{1 - (1 + \mathcal{X}_A) (1/4)^{\mathcal{X}_A}}{1 - (1/e)^{\mathcal{X}_A}}\right).$$

By Property 1, we know that the expression $\mathcal{X}_A = \sum_{v \in \mathcal{A}_i} p_v$ is in the range $[0, \dots, 2^{-\alpha}]$. Under this condition, the above function is minimized for $\mathcal{X} = 2^{-\alpha}$, hence $P[\mathcal{E}_c(t)|\overline{\mathcal{E}}_0(t)] \geq 0.23 \cdot (1/4)^{\frac{3\mu}{2^\alpha}}$. Finally, if $t_2 \in T_C$, the probability P_f that there are more than $\frac{1}{6e} \kappa \log n$ failures in D_i in the interval $[t_c + 4\mu\delta \log^2 n, \dots, t_q]$ is asymptotically in

$$P_f \leq (1 - P[\mathcal{E}_c(t)|\overline{\mathcal{E}}_0(t)])^{\frac{1}{6e} \kappa \log n} \leq O(n^{-3})$$

by the definition of κ .

That is, with probability $1 - O(n^{-3})$, if as many as $\frac{1}{6e} \kappa \log n$ failures had occurred before t_q , there would have been another clearance *before* t_q , contradicting the definition of t_q . \square

PROOF OF THEOREM 5.8. We begin by showing that in expectation, there are only a constant number of new candidates emerging in D_i per failure time-slot. We denote by $C(t)$ the number of active nodes that send at time t (new candidates) and write $\mathcal{E}_f(t)$ for the event of a failure. The conditional expected value of $C(t)$ given a failure is

$$E[C(t)|\mathcal{E}_f(t)] \leq E[C(t)] + 2 \leq \sum_{v \in \mathcal{A}_i} p_v + 2. \text{ Because Property 1 is assumed to hold, this is at most } E[C(t)|\mathcal{E}_f(t)] \leq 2^{-\alpha} + 2.$$

In the following, we bound the number of candidates $C(T_C)$ emerging during T_C in the case in which during the interval $T_C = [t_c + 4\mu\delta \log^2 n, \dots, t_q]$, there are no more than $\frac{1}{6e} \kappa \log n$ failures. Observe that bounding $C(T_C)$ suffices to prove the theorem because by Lemma 5.5, all candidates existing at time t_c are covered by the time $t_c + 4\mu\delta \log^2 n$ with probability $1 - n^{-2}$. Consequently, we only need to bound the number of *new* emerging candidates when analyzing the interval $[t_c + 4\mu\delta \log^2 n, \dots, t_2]$.

The following random experiment allows us to derive a high probability bound on $C(T_C)$. We consider random variables X_{ij} for $i = 1 \dots n$ and $j = 1 \dots |C|$, where $|C|$ is defined as the number of failures in T_C , formally $|C| = |\{t \in T_C | \mathcal{E}_f(t)\}|$. Further, we define $X := \sum_{j=1}^{|C|} \sum_{i \in \mathcal{A}_i(t_j)} X_{ij}$ as the sum of all X_{ij} . The semantic meaning of X_{ij} is that $X_{ij} = 1$, if node i sends (and becomes a candidate) in the j^{th} failure of T_C , and $X_{ij} = 0$ otherwise. Therefore, X represents an upper bound on the number of new candidates emerging in D_i during T_C . Considering the X_{ij} as being independently distributed Bernoulli trials is not precise because of dependencies between different X_{ij} . Specifically, $X_{ij} = 1 \Rightarrow X_{i'j'} = 0$, for all $j' > j$ because an active node that sends becomes a candidate. Note that these dependencies cause X to be strictly smaller or equal as compared to the case in which all X_{ij} that are depending on previous events were chosen randomly and independently with an arbitrary probability distribution. Thus, when assuming all X_{ij} to be independent Bernoulli trials, X is an upper bound for $C(T_C)$.

We know from the above argument, that in expectation, at most $2^{-\alpha} + 2$ active nodes send per failure. With our assumption that there are no more than $\frac{1}{6e} \kappa \log n$ failures, we get

$$\begin{aligned} E[X] &= \sum_{j=1}^{|C|} E \left[\sum_{i \in \mathcal{A}_i(t_j)} X_{ij} \right] = \sum_{j=1}^{|C|} E[C(t_j)|\mathcal{E}_f(t_j)] \\ &\leq (2^{-\alpha} + 2) \frac{1}{6e} \kappa \log n < \frac{1}{2e+1} \kappa \log n. \end{aligned}$$

As mentioned before, assuming X_{ij} to be randomly and independently distributed Bernoulli variables yields an upper bound on $C(T_C)$, i.e., $E[C(T_C)] \leq E[X]$. Hence, we can use the Chernoff bound with $E[X] = \frac{\kappa \log n}{2e+1}$. In particular, the probability P_x that X is larger than $(2e+1) \frac{\kappa \log n}{2e+1} = \kappa \log n$ is at most

$$P[C(T_C) > \kappa \log] \leq \left(\frac{e^{2e}}{(2e+1)^{2e+1}} \right)^{\frac{\kappa \log n}{2e+1}} \in O(n^{-2}).$$

That is, if there are at most $\frac{1}{6e} \kappa \log n$ failures in T_C , then at most $\kappa \log n$ candidates emerge in T_C with probability $1 - O(n^{-2})$. As shown, this bound suffices to prove that Property 2 is not violated in T_C with probability $1 - O(n^{-2})$. On the other hand, we know by Lemma 5.9 that the probability of having *more than* $\frac{1}{6e} \kappa \log n$ failures in T_C is $1 - O(n^{-2})$. That is, the probability that in an arbitrary interval T_C after a clearance, Property 2 is indeed violated *before* the next clearance is at most $1 - 2O(n^{-2}) \in 1 - O(n^{-2})$.

Now, consider the first μ intervals T_C in *every* disk D_i . The probability that there is at least one interval in which

there are more than $\kappa \log n$ new candidates is at most $n\mu \cdot O(n^{-2}) \in O(n^{-1})$. That is, with probability $1 - O(n^{-1})$, Property 2 is *not violated* after the first μ intervals T_C in every disk D_i . By Lemma 5.6, there are no more than μ clearances (and hence inter-clearance intervals T_C) per disk with probability $1 - O(n^{-2})$ if all three Properties hold. Thus, Property 2 is *not* the first Property to be violated with probability $1 - O(n^{-1})$. \square

Finally, we prove the correctness of Property 3.

THEOREM 5.10. *Assume Property 3 is the first property to be violated and let t_3 be the first time-slot in which the violation occurs. The probability that there exists a time-slot t_3 during the execution of Algorithm 1 is at most $P_{fail} \in O(n^{-2})$.*

PROOF. We show that if a node joins \mathcal{M} , the *count* value of all neighboring candidates are at least $\delta \log n$ away from the threshold that enables to join \mathcal{M} . Applying Lemma 5.3 then concludes the proof. Let v_v be the node that violates Property 3 at time $t_v = t_3$ and let v_m be the neighbor of v_v that has previously joined \mathcal{M} , say at time $t_m \leq t_v$. We claim that at time t_m , the *count* value of all neighbors $v_x \in N_m$ of v_m (including v_v) is at most $\delta \log^2 n - \delta \log n$. By the definition of the algorithm, v_m must have started increasing its *count* by the time $t_m - \delta \log^2 n + \delta \log n$, because it could “skip” at most the first $\delta \log n$ values. Similarly, every potential node v_x that ends up having a *count* value larger than $\delta \log^2 n - \delta \log n$ at time t_m must have started increasing its *count* by the time $t_m - \delta \log^2 n + 2\delta \log n$. By the definition of the critical range $\delta \log n$ in Receive Trigger 2, such a node v_x has not received a message m_C from v_m in the interval $[t_m - \delta \log^2 n + 2\delta \log n, \dots, t_m]$ because if it had, it would have reset its *count*.

The probability P_t that $v_x \in D_i$ receives a message m_C from v_m in an arbitrary time-slot t in the interval $[t_m - \delta \log^2 n + 2\delta \log n, \dots, t_m]$ is at least

$$\begin{aligned} P_t &\geq p_m \cdot \prod_{v \in E_i^{1.5}} (1 - p_v) \\ &\geq q_C \prod_{D_j \in E_i^{1.5}} (1/4)^{\sum_{v \in C_j \cup A_j} p_v + \sum_{v \in \mathcal{M}_j} p_v} \\ &\stackrel{\text{Properties 1, 2}}{\geq} \frac{\tau}{2^\alpha \log n} \left[(1/4)^{\frac{1}{2^\alpha - 1} + \sum_{v \in \mathcal{M}_j} p_v} \right]^\mu. \end{aligned}$$

Because v_v is the first node violating Property 3, it holds that before t_m , the set \mathcal{M} forms a correct independent set. Therefore, due to Fact 3, $\sum_{v \in \mathcal{M}_j} p_v \leq \frac{1}{2^\alpha}$, and hence $P_t \geq 2^{-\alpha} \tau (\log n)^{-1} (1/4)^{\frac{3\mu}{2^\alpha}}$. The probability P_n that a node v_x does *not* receive any message m_C from v_m during the $\delta \log^2 n - 2\delta \log n$ remaining time-slots before t_m joins \mathcal{M} is for $n \geq 16$,

$$\begin{aligned} P_n &\leq \left(1 - \frac{\tau}{2^\alpha \log n} (1/4)^{\frac{3\mu}{2^\alpha}} \right)^{\delta \log^2 n - 2\delta \log n} \\ &\leq \left(1 - \frac{\tau \log n}{2^\alpha \log^2 n} (1/4)^{\frac{3\mu}{2^\alpha}} \right)^{\frac{1}{2} \delta \log^2 n} \\ &\leq e^{-\frac{1}{2} \delta \log n \cdot \frac{\tau}{2^\alpha} (1/4)^{\frac{3\mu}{2^\alpha}}} \in O(n^{-4}). \end{aligned}$$

Because there are n^2 pairs of nodes $(v_m, v_x) \in V \times V$, the probability that the “*count-difference*” claim holds for all nodes v_m and v_x is at least $1 - O(n^{-2})$.

We now have all ingredients to prove the theorem. Assume for contradiction that v_v is the first node to violate the MIS condition (Property 3) at time t_3 and let v_m be v_v ’s neighbor that has correctly joined \mathcal{M} at time $t_m \leq t_3$. By definition of v_v , Property 3 holds until t_3 . Therefore, we can apply the result obtained above. In particular, with probability $1 - O(n^{-2})$, there are at least $\delta \log n$ time-slots between v_m and any potential node v_v causing the violation. Because all properties hold before t_3 , it follows from Lemma 5.3 that v_v receives a message m_C by $v_m \in \mathcal{M}$ with probability $1 - O(n^{-3})$. Hence, the probability that there exists a time-slot t_3 is bounded by $O(n^{-2})$. \square

When the first node wakes up, all three Properties are valid. Theorems 5.7, 5.8, and 5.10 show that none of them is the first to be violated, thus establishing the algorithm’s correctness. For the running-time, we show that *every node* decides in time $O(\log^2 n)$ whether to become a MIS node or a slave.

THEOREM 5.11. *Properties 1, 2, and 3 hold with probability $1 - O(n^{-1})$. Particularly, the set \mathcal{M} as computed by Algorithm 1 is a correct maximal independent set with probability $1 - O(n^{-1})$.*

PROOF. By Theorem 5.7, Property 1 is not the first to be violated with probability $1 - O(n^{-1})$. Similarly, by Theorems 5.8 and 5.10, Properties 2 and 3 are not the first to be violated with probabilities $1 - O(n^{-1})$ and $1 - O(n^{-2})$, respectively. Hence, with probability $(1 - O(n^{-1}))^2 \cdot (1 - O(n^{-2})) \in 1 - O(n^{-1})$, none of the three properties is violated during the execution of the algorithm. If all three Properties hold, Property 3 implies that with probability $1 - O(n^{-1})$, the resulting set \mathcal{M} forms a correct independent set. The maximality of the independent set stems from the fact that a node joins set \mathcal{S} only upon receiving a message m_M from a neighboring MIS node. That is, every non-MIS node has at least one MIS node in its neighborhood. \square

THEOREM 5.12. *With probability $1 - O(n^{-1})$, every node $v \in V$ decides irrevocably whether it joins set \mathcal{M} or \mathcal{S} within time $O(\log^2 n)$ after its wake-up.*

PROOF. Consider an arbitrary node $v \in D_i$ and let T_W , T_A , and T_C be the total time node v spends in the corresponding state during its execution of Algorithm 1. Assume that all three Properties hold. Once node v becomes a candidate at time t_v , it will decide to become a MIS node or a slave within time $t_v + 4\mu\delta \log^2 n$ by Lemma 5.5 with probability $1 - O(n^{-2})$. Hence, $T_C \leq 4\mu\delta \log^2 n$. It thus remains to bound the time that v spends in states \mathcal{W} and \mathcal{A} .

If v does not receive a message m_A from a neighboring node for $4\mu\delta \log^2 n$ time-slots after its wake-up (or after being reset to state \mathcal{W} in Receive Trigger 1), it becomes active and joins \mathcal{A} . Unless it receives a message m_A thereafter, its sending probability reaches the value $p_v(t) = 2^{-\alpha-2}$ at most $(\log n - 1) \cdot \lambda \log n$ time-slots after becoming active. This is because the sending probability is initially $2^{-\alpha-1}/n$ and is doubled once per $\lambda \log n$ time-slots. So, either there is a node $w \in N_v^+$ whose message m_A v has received and who subsequently becomes a candidate, or the sending probability of $v \in \mathcal{A}$ exceeds the value $p_v(t) = 2^{-\alpha-2}$. If the latter is the case, conditions (1) and (2) are fulfilled. It follows by the same argument as in the proof of Theorem 5.7 that there is a clearance in the subsequent $\delta \log n$ time-slots with probability $1 - O(n^{-3})$.

Putting things together, it holds that $4\mu\delta\log^2n + \lambda\log^2n$ time-slots after wake-up or a reset because of Receive Trigger 1, there exists a node $w \in N_v^+$ that becomes a candidate, say at time t_c . If $w = v$, we are done because v joins \mathcal{C} and $T_c \leq 4\mu\delta\log^2n$. If $w \neq v$, a new MIS node appears in the interval $[t_c - \delta\log n, \dots, t_c + \delta\log^2n]$ in $E_i^{3.5}$ with probability $1 - O(n^{-2})$ by Lemma 5.4. Because there can be at most 4μ MIS nodes in $E_i^{3.5}$, the total time spent by v in states \mathcal{W} and \mathcal{A} is bounded by

$$T_{\mathcal{W}} + T_{\mathcal{A}} \leq 4\mu \cdot (4\mu\delta + \lambda) \log^2n \in O(\log^2n)$$

Together with the above bound on T_c , this shows that if all three Properties hold, every node v decides within time $O(\log^2n)$ upon its wake-up with probability $(1 - O(n^{-2}))^n \in 1 - O(n^{-1})$. By Theorem 5.11, all three properties hold with probability $1 - O(n^{-1})$ which concludes the proof. \square

Theorems 5.11 and 5.12 show that with high probability, Algorithm 1 computes a correct maximal independent set in time $O(\log^2n)$.

6. CONCLUSIONS

The $\Omega(\log^2n / \log \log n)$ lower bound of [11] even holds for the restricted problem of having one node send alone once in a single-hop environment. It is intriguing that $O(\log^2n)$ time-slots suffice to compute a sophisticated network structure like a MIS. We believe that our algorithm is asymptotically optimal, but closing the remaining gap of $O(\log \log n)$ in either way remains a challenging task. Besides studying other initial network structures, it will also be interesting to investigate the respective power of deterministic and randomized MIS algorithms.

Whereas in the message passing model, Luby's algorithm [17] computes a MIS in time $O(\log n)$, our algorithm requires time $O(\log^2n)$ in the radio network model. This sheds an interesting new light on the relation between these two models of distributed computing, particularly because both algorithms are close from optimal [14, 11].

7. REFERENCES

- [1] N. Alon, A. Bar-Noy, N. Linial, and D. Peleg. A lower bound for radio broadcast. *J. Comput. Syst. Sci.*, 43(2):290–298, 1991.
- [2] B. Awerbuch, A. V. Goldberg, M. Luby, and S. A. Plotkin. Network decomposition and locality in distributed computation. In *Proceedings of the 30th Symposium on Foundations of Computer Science (FOCS)*, pages 364–369, 1989.
- [3] R. Bar-Yehuda, O. Goldreich, and A. Itai. On the time-complexity of broadcast in radio networks: an exponential gap between determinism randomization. In *Proc. of the 6th ACM Symposium on Principles of Distributed Computing (PODC)*, pages 98–108, 1987.
- [4] B. S. Chlebus. *Randomized Communication in Radio Networks*, chapter in Handbook of Randomized Computing, pages 401–456. Kluwer Academic Publishers, 2001.
- [5] B. S. Chlebus and D. R. Kowalski. A Better Wake-Up in Radio Networks. In *Proceedings of 23rd ACM Symposium on Principles of Distributed Computing (PODC)*, pages 266–274, 2004.
- [6] M. Chrobak, L. Gasieniec, and D. Kowalski. The Wake-Up Problem in Multi-Hop Radio Networks. In *Proceedings of the 15th ACM-SIAM symposium on Discrete algorithms (SODA)*, pages 992–1000, 2004.
- [7] R. Cole and U. Vishkin. Deterministic Coin Tossing with Applications to Optimal Parallel List Ranking. *Inf. Control*, 70(1):32–53, 1986.
- [8] A. Czumaj and W. Rytter. Broadcasting Algorithms in Radio Networks with Unknown Topology. In *Proc. of the 44th IEEE Symposium on Foundations of Computer Science (FOCS)*, page 492, 2003.
- [9] R. Gandhi and S. Parthasarathy. Distributed Algorithms for Coloring and Connected Domination in Wireless Ad Hoc Networks. In *Foundations of Software Technology and Theoretical Computer Science (FSTTCS)*, 2004.
- [10] L. Gasieniec, A. Pelc, and D. Peleg. The Wakeup Problem in Synchronous Broadcast Systems (Extended Abstract). In *Proceedings of the 19th ACM Symposium on Principles of Distributed Computing (PODC)*, pages 113–121. ACM Press, 2000.
- [11] T. Jurdzinski and G. Stachowiak. Probabilistic Algorithms for the Wakeup Problem in Single-Hop Radio Networks. In *Proceedings of 13th International Symposium on Algorithms and Computation (ISAAC)*, volume 2518, pages 535–549, 2002.
- [12] F. Kuhn, T. Moscibroda, and R. Wattenhofer. Initializing Newly Deployed Ad Hoc and Sensor Networks. In *Proceedings of 10th Annual International Conference on Mobile Computing and Networking (MOBICOM)*, pages 260–274, 2004.
- [13] F. Kuhn, T. Moscibroda, and R. Wattenhofer. Radio Network Clustering from Scratch. In *Proc. of 12th European Symposium on Algorithms (ESA)*, pages 460–471, 2004.
- [14] F. Kuhn, T. Moscibroda, and R. Wattenhofer. What Cannot Be Computed Locally! In *Proceedings of 23rd Annual Symposium on Principles of Distributed Computing (PODC)*, pages 300–309, 2004.
- [15] E. Kushilevitz and Y. Mansour. An $\Omega(D \log(N/D))$ Lower Bound for Broadcast in Radio Networks. *SIAM Journal on Computing*, 27:702–712, 1998.
- [16] N. Linial. Locality in Distributed Graph Algorithms. *SIAM Journal on Computing*, 21(1):193–201, 1992.
- [17] M. Luby. A Simple Parallel Algorithm for the Maximal Independent Set Problem. *SIAM Journal on Computing*, 15:1036–1053, 1986.
- [18] T. Moscibroda and R. Wattenhofer. Efficient Computation of Maximal Independent Sets in Unstructured Multi-Hop Radio Networks. In *Proc. of 1st International Conference on Mobile Ad Hoc and Sensor Systems (MASS)*, pages 51–59, 2004.
- [19] T. Moscibroda and R. Wattenhofer. Coloring Unstructured Radio Networks. In *Proceedings of the 17th ACM symposium on Parallel Algorithms and Architectures (SPAA)*, 2005.
- [20] L. G. Roberts. Aloha Packet System with and without Slots and Capture. *ACM SIGCOMM, Computer Communication Review*, 5(2):28–42, 1975.
- [21] P. Wan, K. Alzoubi, and O. Frieder. Distributed construction of connected dominating set in wireless ad hoc networks. In *Proceedings of Infocom*, 2002.